



MEASUREMENTS

Blade Finish:	
Blade Material:	PC
Blade Sweep:	54"
No. of Blades:	3
Blade Pitch:	14 DEGREES
Reversible Blades:	NO
Slope:	YES
Hanging Weight:	17.22
Downrod 1:	6
Downrod 1 Outside Dia:	0.75
Downroad 2:	
Downrod 2 Outside Dia:	
Ceiling to Lowest Point: (Dim A):	14.75
Ceiling to Blade (Dim B):	13.25
Lead Wire:	80"
Power:	AC
Motor Size:	AC 153 X 18mm

	Low	Low/Med.	Medium	Med/High	High
RPM	79				156
Amps	0.218				0.391
Watts	14.51				47.27
CFM	2834.0				5771.0
CFM/Watts	195.31				122.09

LAMPING

No. of Bulbs:	1
Max Bulb Wattage:	18
Light Type:	Z32 LED
Light Kit Optional:	NO
Socket:	Y30 LED MODULE
Integrated Light Kit:	YES
Dimmable:	YES
Ballast:	
Rated Life Hours:	30000
Uplight:	NO
Bulb/LED Included:	YES
Color Temp.:	3000
CRI:	92
Initial Lumens:	1489.1
Delivered Lumens:	488.9

Java - LED 54" Ceiling Fan

Item #:	F753L-CL
UPC Code:	706411061936
Product Family Name:	Java LED
Finish:	Coal
Category:	EXTERIOR FAN
Category Type:	Ceiling Fan
Certification:	E75795
Patents:	
Notes:	









GLASS

Description:	OPAL FROSTED
Material:	
Part No.:	GF753
Quantity:	1
Width:	7.17
Height:	1.77
Length:	7.17

CONTROLS

Pull Chain Control:	NO
Works with Remote Control:	YES
Works with Wall Control:	YES
Reversible:	YES
Included Remote Control:	RCS213
Included Wall Control:	
Smart Control:	NO
Compatible Remote Control(s):	
Compatible Wall Control(s):	WCS213
Compatible Smart Control:	BD-1000

SHIPPING

Carton Width:	9.88
Carton Height:	10.5
Carton Length:	28.0
Carton Weight:	20.04
Carton Cubic Feet:	1.681
Small Package Shippable:	YES
Master Pack Width:	
Master Pack Height:	
Master Pack Length:	
Master Pack Weight:	
Master Cubic Feet:	
Multi-Pack:	1
Master Pack:	1

MaRNING: Handling this product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. Wash hands with soap and water after installing, handling, cleaning or otherwise bushing his product for more information go to view. P65Warnings.ca.gov.

For additional information, please contact Customer Care:1-800-221-7977 | Product depicted on this specisheet is protected by United States Federal and/or State laws including US Patent, Trademark and/or Copyright and unfair competition laws. Unauthorized reproduction or use carriers severe legal penalities.

Rev03.14.202512:35 PM